Author Index of Volume 470

Akabori, S., 263
Akkurt, M., 59
Antiñolo, A., 127
Asano, H., 263
Ascenso, J.R., 147

Belin, C., 43
Ben Taleb, A., 257
Berenguer, J.R., C15
Bernardes, V., C12
Bläser, D., C8
Bock, P.L., 73
Boese, R., C8, 191
Börner, A., 237
Bovio, B., 275
Bradshaw, J.D., 231
Breunig, H.J., 87, 93
Burini, A., 275

Cabeza, J.A., 173
Calhorda, M.J., 147
Calogero, S., 275
Capon, J.F., 137
Carmona, D., 271
Carré, F., 43
Cheng, M.-C., 161
Chin, M., 73
Churchill, M., 231
Cornen, S., 137
Corriu, R.J.P., 43

Datta, S.N., 169
De Deus Carvalho, M., 147
De Jesús, E., 127
Deng, D., 99
Denker, M., 87
Dias, A.R., 147
Dielkus, S., 23
Djukic, J.-P., 131
Durst, G.L., 73

Ebert, K.H., 87, 93
Elguero, J., 271

Fajardo, M., 127
Faleschini, P., 59
Ferrara, J.D., 231
Ferrer, J., 271
Forniés, J., C15
Fussing, I.M.M., 109, 119

Giannoccaro, P., 249
Gleave, D.M., 1
Gleichmann, A., 183
Goti, A., C4
Greene, A.E., C12

Habata, Y., 263
Haiduc, I., 93
Head, S.R., 73
Heller, D., 237
Herbst-Irmer, R., 23
Hirao, T., 179, 189
Hosokawa, T., 253
Huo, S.Q., 17
Hwang, I.-S., 161

Ikeda, I., 179, 189
Ingham, S.L., 153

Jenner, G., 257
Jiang, Y., 99
Jimeno, M.L., 271

Kadyrov, R., 237
Kawata, Y., 263
Kergoat, R., 137
Khan, M.S., 153
Khourzom, R., 131
King Jr., J.A., 207
Klingebiel, U., 35
Koike, M., 199
Kök, T.R., 59
Kondru, R.-K., 169
Kpoton, A., 43
Kratz, T., C8
Kuhn, N., C8
Kurosawa, H., 179, 189

Lalinde, E., C15
Lamata, M.P., 271
Langlois, B., 131
Le Berre-Cosquer, N., 137
Lewis, J., 153
L'Haridon, P., 137
Limbach, H.-H., 271
Long, N.J., 153

Majewski, M., 1
Maringgele, W., 23
Martínez, F., C15
Mathur, P., 169
Meller, A., 23
Michaelsen, H., 23
Michalik, M., 237
Mosbo, J.A., 73
Moyano, A., C12
Mugnier, Y., 127
Mulla, F., 173
Murahashi, S.-I., 253

Narula, A.K., 67

Ohkita, K., 179, 189
Oro, L.A., 271
Otero, A., 127

Patzke, B., 191
Pericàs, M.A., C12
Pichon, R., 137
Pietroni, B.R., 275
Pletcher, D., 109, 119
Poirier, M., 43
Puff, H., 59

Qian, C., 99

Raithby, P.R., 153
Randaccio, L., 59
Riera, A., C12
Riera, V., 173
Romão, C.C., 147
Rose, E., 131
Rose-Munch, F., 131
Royo, G., 43
Rühlicke, A., C1

Sarpal, A.S., 67
Sato, M., 263
Scherer, G., 271
Schuh, W., 59
Schulz, M., 243
Schulz, R.E., 93
See, R.F., 231
Sekino, M., 263
Semmelhack, M.F., C4
Shapley, J.R., 199
Sharma, H.K., 67
Sheldrick, W.S., 183
Silvestru, C., 93
Solooki, D., 231
Sonika,, 67
Sporzyński, A., 31
Sugafuji, T., 253
Sustmann, R., 191
Suzuki, K., 263
Szatyłowicz, H., 31

Tessier, C.A., 231

Vaisserman, J., 131
Veiros, L.F., 147
Verdaguer, X., C12
Vermani, O.P., 67
Vollhardt, K.P.C., 207

Wagner, F.E., 275
Wang, H.-G., 223

Wang, R.-J., 223
Wang, Y., 161
Weber, L., C1
Wei, H.-H., 161
Werner, E., 35
Werner, H., 243
Whitby, R.J., 109, 119
Wu, G., 99
Wu, Y.J., 17

Xi, H.-P., 223

Yamanaka, T., 253
Yang, L., 17
Young, J.C., 43
Youngs, W.J., 231
Yu, A., 223

Zhang, Z.-Z., 223
Zheng, P., 99
Zhu, Y., 17

Journal of Organometallic Chemistry, 470 (1994) C21–C28

Subject Index of Volume 470

Acetyl
Preparation and Mössbauer spectroscopic studies of 1′,1‴-diacetyl- and 1′-acetyl-1‴-(1-naphthylimino-ethyl)biferrocenes and their partially oxidized biferrocenium salts (H.-H. Wei, I.-S. Hwang, M.-C. Cheng and Y. Wang), 161

Alkene
Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols (T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi), 253

Alkoxide
Synthesis of bimetallic[Sn^{IV},Al^{III}]-μ-oxoisopropoxyacetate and -μ-oxoisopropoxide and their acetylacetone and benzoylacetone derivatives (Sonika, A.K. Narula, O.P. Vermani, H.K. Sharma and A.S. Sarpal), 67

Alkoxyacetylene
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes (V. Bernardes, X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera and A.E. Greene), C12

Alkylidene
The reaction of $(\mu\text{-H})_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-H})_2Os_3(CO)_9(PPh_3)(\mu\text{-CHCH}_3)$ (M. Koike and J.R. Shapley), 199

Alkyne
Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-2-RC}_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243

Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-C}_5H_5)(CO)_2\}_2\{\mu\text{-HC}\equiv\text{CCH(CH}_2\text{CH}_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137

Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1′-bis(phenylethynyl)ferrocene (S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 153

Alkynyl
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C\equiv CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15

Allyl
Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-2-RC}_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243

Aluminium
Synthesis of bimetallic[Sn^{IV},Al^{III}]-μ-oxoisopropoxyacetate and -μ-oxoisopropoxide and their acetylacetone and benzoylacetone derivatives (Sonika, A.K. Narula, O.P. Vermani, H.K. Sharma and A.S. Sarpal), 67

Amine
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249

Amino acid
η^5-Pentamethylcyclopentadienylruthenium(II) complexes containing η^6-coordinated α-amino acids (W.S. Sheldrick and A. Gleichmann), 183

Aniline
Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)-aniline)tricarbonylchrome (F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose, B. Langlois et J. Vaisserman), 131

Annulene
Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17, 18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231

Antimony
Strukturen und Reaktionen von Methylantimondihalogeniden und Versuche zur Darstellung von Methylantimon (H.J. Breunig, M. Denker und K.H. Ebert), 87

Arene
Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0) (A. Goti and M.F. Semmelhack), C4

Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)-aniline)tricarbonylchrome (F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose, B. Langlois et J. Vaisserman), 131

Synthesis and derivative chemistry of $[Ru_2(\mu\text{-PPh}_2)(\mu\text{-OH})_2(\eta^6\text{-}p\text{-cymene})_2]^+$ (J.A. Cabeza, F. Mulla and V. Riera), 173

Asymmetric synthesis
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes (V. Bernardes, X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera and A.E. Greene), C12

Bismuth
Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ (K.H. Ebert, R.E. Schulz, H.J. Breunig, C. Silvestru and I. Haiduc), 93

Bond activation
Thermally and photochemically induced vinyl-hydrogen activation of [η^4-1,2 : 3,4-(*trans*-1,3,5-hexatriene)](η^5-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207

π-Bonding
η^5-Pentamethylcyclopentadienylruthenium(II) complexes containing η^6-coordinated α-amino acids (W.S. Sheldrick and A. Gleichmann), 183

Bond nature
Relative stability of η^5-cyclopentadienyl(olefin)ruthenium cations: the first estimation of the nature of the Ru^{II}–olefin bond (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 189

Boracycloalkene
Reaktion von konjugierten Doppelbindungsystemen mit Dihalogen(diorganylamino)boranen und Na/K-Legierung (W. Maringgele, S. Dielkus, R. Herbst-Irmer, H. Michaelsen und A. Meller), 23
Borane
Reaktion von konjugierten Doppelbindungsystemen mit Dihalogen(diorganylamino)boranen und Na/K-Legierung (W. Maringgele, S. Dielkus, R. Herbst-Irmer, H. Michaelsen und A. Meller), 23
Boron
Reaktion von konjugierten Doppelbindungsystemen mit Dihalogen(diorganylamino)boranen und Na/K-Legierung (W. Maringgele, S. Dielkus, R. Herbst-Irmer, H. Michaelsen und A. Meller), 23
Boron-nitrogen compounds
Reaktion von konjugierten Doppelbindungsystemen mit Dihalogen(diorganylamino)boranen und Na/K-Legierung (W. Maringgele, S. Dielkus, R. Herbst-Irmer, H. Michaelsen und A. Meller), 23
Boroxin
Can triorganoboroxins exist in a "monomeric" R–B=O form? MNDO calculations and ebulliometric molecular weight determination (A. Sporzyński and H. Szatyłowicz), 31
Bridging ligand
Synthesis and derivative chemistry of $[Ru_2(\mu\text{-}PPh_2)(\mu\text{-}OH)_2(\eta^6\text{-}p\text{-cymene})_2]^+$ (J.A. Cabeza, F. Mulla and V. Riera), 173
Bromide
Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ (K.H. Ebert, R.E. Schulz, H.J. Breunig, C. Silvestru and I. Haiduc), 93

Cage compound
Formation and structure of $[Co\{Ph_2PN(^iBu)PPh_2\text{-}P,P'\}_2(CO)][Co(CO)_4]$ – a cage molecule-pair or an ion-pair complex? (Z.-Z. Zhang, A. Yu, H.-P. Xi, R.-J. Wang and H.-G. Wang), 223
Carbamate
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249
Carbene
Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene (N. Kuhn, T. Kratz, R. Boese und D. Bläser), C8
Carbon-13
The reaction of $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)(\mu\text{-}CHCH_3)$ (M. Koike and J.R. Shapley), 199
Carbonyl
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes (V. Bernardes, X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera and A.E. Greene), C12
Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)-aniline)tricarbonylchrome (F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose, B. Langlois et J. Vaisserman), 131
Formation and structure of $[Co\{Ph_2PN(^iBu)PPh_2\text{-}P,P'\}_2(CO)][Co(CO)_4]$ – a cage molecule-pair or an ion-pair complex? (Z.-Z. Zhang, A. Yu, H.-P. Xi, R.-J. Wang and H.-G. Wang), 223
Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene (N. Kuhn, T. Kratz, R. Boese und D. Bläser), C8
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
Carbonylation
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions (G. Jenner and A. Ben Taleb), 257
Catalysis
Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols (T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi), 253
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions (G. Jenner and A. Ben Taleb), 257
Chloroarene
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions (G. Jenner and A. Ben Taleb), 257
Chromium
Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)-chromium(0) (A. Goti and M.F. Semmelhack), C4
Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)-aniline)tricarbonylchrome (F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose, B. Langlois et J. Vaisserman), 131
Strukturen und Reaktionen von Methylantimondihalogeniden und Versuche zur Darstellung von Methylantimon (H.J. Breunig, M. Denker und K.H. Ebert), 87
Cluster
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
The reaction of $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)(\mu\text{-}CHCH_3)$ (M. Koike and J.R. Shapley), 199
Cobalt
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes (V. Bernardes, X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera and A.E. Greene), C12
Formation and structure of $[Co\{Ph_2PN(^iBu)PPh_2\text{-}P,P'\}_2(CO)][Co(CO)_4]$ – a cage molecule-pair or an ion-pair complex? (Z.-Z. Zhang, A. Yu, H.-P. Xi, R.-J. Wang and H.-G. Wang), 223
Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17, 18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231
Thermally and photochemically induced vinyl-hydrogen activation of [η^4-1,2 : 3,4-(*trans*-1,3,5-hexatriene)](η^5-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207
Conformation
NMR conformational studies of (1,2-bis(diarylphosphino)ethane)(diorgano sulfide)ruthenium complexes (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 179

Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59

Copper

Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249

Crystal structure

A ^{197}Au Mössbauer study of reaction products of trimeric 1-benzyl-2-gold(I)-imidazole leading to Au^{I} carbene or Au^{I} imidazoline complexes and trinuclear Au^{III} imidazolyl derivatives. X-Ray crystal structure of $[\{(\mu\text{-1-benzylimidazolato-}N^3,C^2)Au\}_3I_2]$ (B. Bovio, S. Calogero, F.E. Wagner, A. Burini and B.R. Pietroni), 275

Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)-aniline)tricarbonylchrome (F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose, B. Langlois et J. Vaisserman), 131

Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene (N. Kuhn, T. Kratz, R. Boese und D. Bläser), C8

Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43

Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137

Strukturen und Reaktionen von Methylantimondihalogeniden und Versuche zur Darstellung von Methylantimon (H.J. Breunig, M. Denker und K.H. Ebert), 87

Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17, 18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231

Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ (K.H. Ebert, R.E. Schulz, H.J. Breunig, C. Silvestru and I. Haiduc), 93

Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1′-bis(phenylethynyl)ferrocene (S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 153

The reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. Crystal structure of bis(methylacrylate)bis(triphenylphosphane)(aqua)ruthenium(0) (R. Sustmann, B. Patzke and R. Boese), 191

Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59

Cumulene

Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127

Cycloheptatrienyl

Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99

Cyclopentadienyl

η^5-Pentamethylcyclopentadienylruthenium(II) complexes containing η^6-coordinated α-amino acids (W.S. Sheldrick and A. Gleichmann), 183

Relative stability of η^5-cyclopentadienyl(olefin)ruthenium cations: the first estimation of the nature of the Ru^{II}–olefin bond (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 189

The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119

The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 109

Cyclosilazane

Cyclotetrasilazane als Precursor für Cyclotrisilazane und Bis(cyclodisilazan-1-yl)silane (E. Werner und U. Klingebiel), 35

Cyclyne

Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17, 18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231

Dialkylamide

Reduction with lithium dialkylamides (M. Majewski and D.M. Gleave), 1

Diastereoselectivity

Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0) (A. Goti and M.F. Semmelhack), C4

Dinuclear

Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15

Diphosphine

NMR conformational studies of (1,2-bis(diarylphosphino)-ethane)(diorgano sulfide)ruthenium complexes (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 179

Dithioether

Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147

Dynamic NMR

Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43

Electrochemistry

Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1′-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1′)ferrocenophanes (M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata, Y. Habata and S. Akabori), 263

The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119

The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 109

Electron spin resonance

Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127

Enyne

Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137

Extended Hückel calculations

Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127

Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147

Ferrocene

Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1′-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1′)ferrocenophanes (M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata, Y. Habata and S. Akabori), 263

ortho-Mercuration of ferrocenylimines (S.Q. Huo, Y.J. Wu, Y. Zhu and L. Yang), 17

Preparation and Mössbauer spectroscopic studies of 1′,1‴-diacetyl- and 1′-acetyl-1‴-(1-naphthylimino-ethyl)biferrocenes and their partially oxidized biferrocenium salts (H.-H. Wei, I.-S. Hwang, M.-C. Cheng and Y. Wang), 161

Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1′-bis(phenylethynyl)ferrocene (S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 153

Germanium

Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59

Gold

A ^{197}Au Mössbauer study of reaction products of trimeric 1-benzyl-2-gold(I)-imidazole leading to Au^I carbene or Au^I imidazoline complexes and trinuclear Au^{III} imidazolyl derivatives. X-Ray crystal structure of $[\{(\mu\text{-}1\text{-benzylimidazolato-}N^3,C^2)Au\}_3I_2]$ (B. Bovio, S. Calogero, F.E. Wagner, A. Burini and B.R. Pietroni), 275

Group 6

Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene (N. Kuhn, T. Kratz, R. Boese und D. Bläser), C8

Hexabenzocyclohexyne

Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17, 18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231

Holmium

Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99

Hydride

Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-}2\text{-}RC_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243

Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99

The reaction of $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)(\mu\text{-}CHCH_3)$ (M. Koike and J.R. Shapley), 199

Hydrogen migration

Thermally and photochemically induced vinyl-hydrogen activation of $[\eta^4$-1,2 : 3,4-(*trans*-1,3,5-hexatriene)](η⁵-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207

Hydroxide

Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols (T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi), 253

Imidazole

A ^{197}Au Mössbauer study of reaction products of trimeric 1-benzyl-2-gold(I)-imidazole leading to Au^I carbene or Au^I imidazoline complexes and trinuclear Au^{III} imidazolyl derivatives. X-Ray crystal structure of $[\{(\mu\text{-}1\text{-benzylimidazolato-}N^3,C^2)Au\}_3I_2]$ (B. Bovio, S. Calogero, F.E. Wagner, A. Burini and B.R. Pietroni), 275

Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene (N. Kuhn, T. Kratz, R. Boese und D. Bläser), C8

Imine

ortho-Mercuration of ferrocenylimines (S.Q. Huo, Y.J. Wu, Y. Zhu and L. Yang), 17

Indole

Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0) (A. Goti and M.F. Semmelhack), C4

Intramolecular coordination

Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43

Iridium

Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-}2\text{-}RC_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243

Iron
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
Übergangsmetall-substituierte Acylphosphane und Phosphaalkene. XX. Dipolare [3 + 2]-Cycloadditionen eines Acetylendicarbonsäureesters an die Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2Fe\text{–}P{=}C(R)SiMe_3$ (R = Ph, $SiMe_3$) (L. Weber und A. Rühlicke), C1
Isomerization
Cyclotetrasilazane als Precursor für Cyclotrisilazane und Bis(cyclodisilazan-1-yl)silane (E. Werner und U. Klingebiel), 35

Lanthanum
Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99
Large ring
Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59
Lithium
Reduction with lithium dialkylamides (M. Majewski and D.M. Gleave), 1

Mechanism
Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols (T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi), 253
Mercury
ortho-Mercuration of ferrocenylimines (S.Q. Huo, Y.J. Wu, Y. Zhu and L. Yang), 17
Mesityl
Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ (K.H. Ebert, R.E. Schulz, H.J. Breunig, C. Silvestru and I. Haiduc), 93
Metallocarbene
Thermally and photochemically induced vinyl-hydrogen activation of [η^4-1,2 : 3,4-(*trans*-1,3,5-hexatriene)](η^5-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207
Metallocenes
Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127
Methyl acrylate
The reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. Crystal structure of bis(methylacrylate)bis(triphenylphosphane)(aqua)ruthenium(0) (R. Sustmann, B. Patzke and R. Boese), 191
MNDO calculations
Can triorganoboroxins exist in a "monomeric" R–B=O form? MNDO calculations and ebulliometric molecular weight determination (A. Sporzyński and H. Szatyłowicz), 31
Molecular mechanics
Molecular mechanics (MM2) calculations and cone angles of phosphine ligands (M. Chin, G.L. Durst, S.R. Head, P.L. Bock and J.A. Mosbo), 73
Molecular orbital calculations
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
Molybdenum
Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147
Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137
Mössbauer spectroscopy
A ^{197}Au Mössbauer study of reaction products of trimeric 1-benzyl-2-gold(I)-imidazole leading to Au^I carbene or Au^I imidazoline complexes and trinuclear Au^{III} imidazolyl derivatives. X-Ray crystal structure of $[\{(\mu\text{-}1\text{-benzylimidazolato-}N^3,C^2)Au\}_3I_2]$ (B. Bovio, S. Calogero, F.E. Wagner, A. Burini and B.R. Pietroni), 275
Preparation and Mössbauer spectroscopic studies of 1′,1‴-diacetyl- and 1′-acetyl-1‴-(1-naphthylimino-ethyl)biferrocenes and their partially oxidized biferrocenium salts (H.-H. Wei, I.-S. Hwang, M.-C. Cheng and Y. Wang), 161

Niobium
Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127
Nuclear magnetic resonance
Analogues of DIOP. Synthesis, reactivity, and NMR behaviour (A. Börner, R. Kadyrov, M. Michalik and D. Heller), 237
Determination of the free activation energy for the breaking of the $^{31}P\text{–}^{107(109)}Ag$ bond in $[(\eta^6\text{-}p\text{-cymene})Ru(\mu\text{-}pz)_3Ag(PPh_3)]$ (D. Carmona, J. Ferrer, M.P. Lamata, L.A. Oro, H.-H. Limbach, G. Scherer, J. Elguero and M.L. Jimeno), 271
NMR conformational studies of (1,2-bis(diarylphosphino)ethane)(diorgano sulfide)ruthenium complexes (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 179
Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147
The reaction of $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)(\mu\text{-}CHCH_3)$ (M. Koike and J.R. Shapley), 199

Olefin
Relative stability of η^5-cyclopentadienyl(olefin)ruthenium cations: the first estimation of the nature of the Ru^{II}–olefin bond (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 189
Osmium
The reaction of $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-}H)_2Os_3(CO)_9(PPh_3)(\mu\text{-}CHCH_3)$ (M. Koike and J.R. Shapley), 199
Oxide
Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59

Palladium
Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols (T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi), 253
Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1'-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1')ferrocenophanes (M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata, Y. Habata and S. Akabori), 263
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions (G. Jenner and A. Ben Taleb), 257
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15
Paramagnetism
Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors (A. Antiñolo, M. Fajardo, E. De Jesús, Y. Mugnier and A. Otero), 127
Pauson–Khand reaction
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes (V. Bernardes, X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera and A.E. Greene), C12
Pentacoordinate silicon
Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43
Pentafluorophenyl
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15
Phosphaalkene
Übergangsmetall-substituierte Acylphosphane und Phosphaalkene. XX. Dipolare [3 + 2]-Cycloadditionen eines Acetylendicarbonsäureesters an die Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2Fe{-}P{=}C(R)SiMe_3$ (R = Ph, $SiMe_3$) (L. Weber und A. Rühlicke), C1
Phosphazane
Formation and structure of $[Co\{Ph_2PN(^iBu)PPh_2\text{-}P,P'\}_2(CO)][Co(CO)_4]$ – a cage molecule-pair or an ion-pair complex? (Z.-Z. Zhang, A. Yu, H.-P. Xi, R.-J. Wang and H.-G. Wang), 223
Phosphide
Synthesis and derivative chemistry of $[Ru_2(\mu\text{-}PPh_2)(\mu\text{-}OH)_2(\eta^6\text{-}p\text{-cymene})_2]^+$ (J.A. Cabeza, F. Mulla and V. Riera), 173
Phosphine
Molecular mechanics (MM2) calculations and cone angles of phosphine ligands (M. Chin, G.L. Durst, S.R. Head, P.L. Bock and J.A. Mosbo), 73
The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119
Phosphorus
Analogues of DIOP. Synthesis, reactivity, and NMR behaviour (A. Börner, R. Kadyrov, M. Michalik and D. Heller), 237
Determination of the free activation energy for the breaking of the $^{31}P{-}^{107(109)}Ag$ bond in $[(\eta^6\text{-}p\text{-cymene})Ru(\mu\text{-pz})_3Ag(PPh_3)]$ (D. Carmona, J. Ferrer, M.P. Lamata, L.A. Oro, H.-H. Limbach, G. Scherer, J. Elguero and M.L. Jimeno), 271
Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-}2\text{-}RC_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243
Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$ (K.H. Ebert, R.E. Schulz, H.J. Breunig, C. Silvestru and I. Haiduc), 93
Photochemistry
Thermally and photochemically induced vinyl-hydrogen activation of $[\eta^4\text{-}1,2 : 3,4\text{-}(trans\text{-}1,3,5\text{-hexatriene})](\eta^5\text{-cyclopentadienyl})$ cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207
Platinum
Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1'-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1')ferrocenophanes (M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata, Y. Habata and S. Akabori), 263
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15
Polymer
Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1'-bis(phenylethynyl)ferrocene (S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 153
Praseodymium
Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99
Pseudo-rotation
Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43
Pyrrole
Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0) (A. Goti and M.F. Semmelhack), C4

Quinoline
Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0) (A. Goti and M.F. Semmelhack), C4

Reduction
Reduction with lithium dialkylamides (M. Majewski and D.M. Gleave), 1
The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119
The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 109
Rhodium
Analogues of DIOP. Synthesis, reactivity, and NMR behaviour (A. Börner, R. Kadyrov, M. Michalik and D. Heller), 237
Ruthenium
η^5-Pentamethylcyclopentadienylruthenium(II) complexes contain-

ing η^6-coordinated α-amino acids (W.S. Sheldrick and A. Gleichmann), 183
Determination of the free activation energy for the breaking of the $^{31}P-^{107(109)}Ag$ bond in $[(\eta^6\text{-}p\text{-cymene})Ru(\mu\text{-pz})_3Ag(PPh_3)]$ (D. Carmona, J. Ferrer, M.P. Lamata, L.A. Oro, H.-H. Limbach, G. Scherer, J. Elguero and M.L. Jimeno), 271
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-CO})(\mu_4\text{-Se})_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-CO})(\mu_4\text{-Se})_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
NMR conformational studies of (1,2-bis(diarylphosphino)ethane)(diorgano sulfide)ruthenium complexes (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 179
Relative stability of η^5-cyclopentadienyl(olefin)ruthenium cations: the first estimation of the nature of the Ru^{II}–olefin bond (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 189
Synthesis and derivative chemistry of $[Ru_2(\mu\text{-}PPh_2)(\mu\text{-OH})_2(\eta^6\text{-}p\text{-cymene})_2]^+$ (J.A. Cabeza, F. Mulla and V. Riera), 173
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions (G. Jenner and A. Ben Taleb), 257
The reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. Crystal structure of bis(methylacrylate)bis(triphenylphosphane)(aqua)ruthenium(0) (R. Sustmann, B. Patzke and R. Boese), 191

Selenium
Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-CO})(\mu_4\text{-Se})_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-CO})(\mu_4\text{-Se})_2$ (S.N. Datta, R.-K. Kondru and P. Mathur), 169
Silicon
Cyclotetrasilazane als Precursor für Cyclotrisilazane und Bis(cyclodisilazan-1-yl)silane (E. Werner und U. Klingebiel), 35
Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene (F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin), 43
Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium (M. Akkurt, T.R. Kök, P. Faleschini, L. Randaccio, H. Puff und W. Schuh), 59
Silver
Determination of the free activation energy for the breaking of the $^{31}P-^{107(109)}Ag$ bond in $[(\eta^6\text{-}p\text{-cymene})Ru(\mu\text{-pz})_3Ag(PPh_3)]$ (D. Carmona, J. Ferrer, M.P. Lamata, L.A. Oro, H.-H. Limbach, G. Scherer, J. Elguero and M.L. Jimeno), 271
Sodium
Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137
Substitution
Cyclotetrasilazane als Precursor für Cyclotrisilazane und Bis(cyclodisilazan-1-yl)silane (E. Werner und U. Klingebiel), 35
Sulfide
NMR conformational studies of (1,2-bis(diarylphosphino)ethane)(diorgano sulfide)ruthenium complexes (K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda), 179
Sulfur inversion
Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147
Synthesis
The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 109

Tetrabenzocyclo tetrayne
Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17,18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231
Tetrafluoroborate
Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$ (J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat and P. L'Haridon), 137
Thermochemistry
Thermally and photochemically induced vinyl-hydrogen activation of [η^4-1,2 : 3,4-(*trans*-1,3,5-hexatriene)](η^5-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations (J.A. King Jr. and K.P.C. Vollhardt), 207
Tin
Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1'-bis(phenylethynyl)ferrocene (S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby), 153
Synthesis of bimetallic[Sn^{IV},Al^{III}]-μ-oxoisopropoxyacetate and -μ-oxoisopropoxide and their acetylacetone and benzoylacetone derivatives (Sonika, A.K. Narula, O.P. Vermani, H.K. Sharma and A.S. Sarpal), 67
Titanium
The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119
The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 109
Tribenzocyclotriyne
Syntheses and crystal structures of 1,2 : 5,6 : 9,10 : 13,14 : 17,18 : 21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2 : 5,6 : 9,10 : 13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC (D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs, R.F. See, M. Churchill and J.D. Ferrara), 231
Trimethylsilyl
Übergangsmetall-substituierte Acylphosphane und Phosphaalkene. XX. Dipolare [3 + 2]-Cycloadditionen eines Acetylendicarbonsäureesters an die Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2Fe{-}P{=}C(R)SiMe_3$ (R = Ph, $SiMe_3$) (L. Weber und A. Rühlicke), C1
Tungsten
Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers (J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros), 147

Urea
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines (P. Giannoccaro), 249

Vinyl
Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-}2\text{-}RC_3H_4)(P^iPr_3)_2]$ (M. Schulz und H. Werner), 243

Voltammetry
The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine (I.M.M. Fussing, D. Pletcher and R.J. Whitby), 119

X-ray diffraction
Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1′-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1′)ferrocenophanes (M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata, Y. Habata and S. Akabori), 263

Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99

The reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. Crystal structure of bis(methylacrylate)bis(triphenylphosphane)(aqua)ruthenium(0) (R. Sustmann, B. Patzke and R. Boese), 191

X-ray structure
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment (J.R. Berenguer, J. Forniés, E. Lalinde and F. Martínez), C15

Yttrium
Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes (D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng), 99